acme construction supply co., Inc.

Werner Ladder Guide

Extension Ladders

Extension Ladder, Type 1A 300lb. Duty Rating, Fiberglass Orange			
D6216-2	16’	D6232-2	32’
D6220-2	20’	D6236-2	36’
D6224-2	24’	D6240-2	40’
D6228-2	28’		
Extension Ladder, Type 1AA 375lb. Duty Rating, Fiberglass Yellow			
D7116-2	16’	D7128-2	28’
D7120-2	20’	D7132-2	32’
D7124-2	24’	D7136-2	36’

- Exclusive Alflo® rung joint means Twist-Proof® performance
- 1.63in slip-resistant Traction-Tred® D-rungs
- Pre-pierced holes for easy field installation of accessories
- Base and fly separate to use base section as single ladder
- Combination rail shield bracket and shoe with SHU-LOK® and slip-resistant pad for D6200 Series
- The Traction-Tred® D rungs are slip-resistant with the durable rail shield and shoe bracket to protect the rail from damage on D7100 Series
- Mar-resistant molded end caps

Glide Safe Extension Ladder, Type 1A 300lb. Duty Rating, Fiberglass Yellow & Orange			
T6220-2GS	20’	T6232-2GS	32’
T6224-2GS	24’	T6240-2GS	40’
T6228-2GS	28’		

Preferred Safety

Up to 50% Easier to Raise †

Speed Controlled Lowering

Jobsite Durability

- Exclusive Alflo® rung joint means Twist-Proof® performance
- Combination rail shield bracket and shoe with SHU-LOK® and slip-resistant pad
- Built-in lowering assist helps to ensure a smooth, easy descent preventing slamming and rope burns
- GLIDESAFE™ features a dual locking system to help prevent ladder extension during transport
- Lift Assist Technology makes it up to 50% easier to extend vs a traditional extension ladder
- Pre-pierced holes for easy field installation of accessories
- Molded rung braces on bottom step for increased durability
- Mar-resistant molded end caps

Reach Telescoping Muli Position Ladder Type 1A 300lb. Duty Rating, Aluminum			
MT-13	14’	MT-22	22’
MT-17	18’		

- Extra wide flared bottom for firm support
- Adjustable telescoping design for maximum versatility
- Designed for both 1-person and 2-person jobs
- Slip-resistant feet
- Shatter-Proof J-Locks

Stairway Step Ladder

Scaffold Bases

Twin Step Ladder

Extension Ladder

Extension Ladder D-Rung Type 1A 300lb. Duty Rating, Aluminum			
D1516-2	16’	D1532-2	32’
D1520-2	20’	D1536-2	36’
D1524-2	24’	D1540-2	40’
D1528-2	28’		

- Exclusive Alflo® rung joint means Twist-Proof® performance
- 1.75in slip-resistant Traction-Tred® D-rungs
- Base and fly separate easily for use as an extension or two single sections
- Extra heavy duty I-beam rails
- Rugged shoe rests flat or is held in spur position with SHU-LOK® feature
- Stacked rail design provides increased rung width on fly section
- Mar-resistant end caps



WERNER

WALKTHRU

STEP THROUGH SAFELY

WalkThru Gate X300001

Extension Ladder WalkThru X300000



OSHA MANUFACTURER CERTIFIES CONFORMANCE TO APPLICABLE STANDARDS



Designed to Fit Werner Products



Dual Clamping System

Accessory Gate Option

Extension Ladder Accessories	
71-1	Part Padded V-Rung Kit For Extension Ladders
PK80-2	Ladder Leveler
X300000	Extension Walkthru Ladder Safety Rail Walk Through Extender Device
X300001	Extension Walkthru Ladder Gate Safety Accessory For Rail Walk

71-1 Padded V-Rung Kit

PK80-2 Ladder Leveler

† Percentage of assist can vary by ladder size, friction between side rails and variation on lift assist technology, compared to Werner D6200 300lbs fiberglass extension ladders

acme construction supply co., Inc.

www.acmetool.com

Platform Ladders

Platform Ladder, Type 1A 300lb. Duty Rating, Fiberglass Orange			
P6202	2’	P6208	8’
P6204	4’	P6210	10’
P6206	6’		
Platform Ladder, Type 1AA 375lb. Duty Rating, Fiberglass Orange			
P7404	4’	P7408	8’
P7406	6’		
P7410	10’	1A 300lb. Duty Rating	
P7412	12’	1A 300lb. Duty Rating	

- Safety guardrail encourages proper ladder use
- Large platform provides secure and comfortable work area
- Slip-resistant Traction-Tred® steps are double riveted
- Slip-resistant foot pads attached to the EDGE® structure
- EDGE® molded brace and foot pad combination provides enhanced bracing strength and increased protection against damage

Podium Ladders

Preferred Safety

Podium Platform Ladder, Type 1A 300lb. Duty Rating, Fiberglass Orange	
PD6204	6’ Ladder 4’ Platform
PD6204-4C	6’ Ladder 4’ Platform
PD6205	7’ Ladder 5’ Platform
PD6206	8’ Ladder 6’ Platform
PD6206-4C	8’ Ladder 6’ Platform
PD6208	10’ Ladder 8’ Platform
PD6210	12’ Ladder 10’ Platform
PD6212	14’ Ladder 12’ Platform
Podium Platform Ladder, Type 1AA 375lb. Duty Rating, Fiberglass Yellow	
PD7302	4’ LADDER 2’ PLATFORM
PD7303	5’ LADDER 3’ PLATFORM
PD7304	6’ LADDER 4’ PLATFORM
PD7306	8’ LADDER 6’ PLATFORM
PD7308	10’ LADDER 8’ PLATFORM
PD7310	12’ LADDER 10’ PLATFORM
PD7312	14’ LADDER 12’ PLATFORM

- 4X Work Zone to reach all directions
- Extra-large platform for long standing comfort
- Double riveted slip-resistant Traction-Tred® steps
- All steps and two rear horizontals are knee-braced
- LOCKTOP™ extended guardrail securely wraps around work zone and holds an arsenal of tools
- EDGE360® includes an integrated rail shield, EDGE bracing and oversized foot pads



AC63 Podium Ladder Personnel Gate

- Easily retrofitted, convenient and affordable
- Fully surrounds the user
- Helps keep the ladder user inside the ladder footprint
- Work facing any direction
- Neatly collapses for easy access and storage

LeanSafe™ Ladders

Preferred Safety

Leansafe 4’ Stepladder, Type 1A 300lb. Duty Rating, Fiberglass			
L6204	4’	L6210	10’
L6206	6’	L6212	12’
L6208	8’		
Leansafe Stepladder, Type 1AA 375lb. Duty Rating, Fiberglass			
L7304	4’	L7310	10’
L7306	6’	L7312	12’
L7308	8’		

- LEANSAFE® Ladder Top with non-marring rubber bumper securely leans against walls, poles, corners, and wall studs, and holds tools to increase productivity
- Double riveted slip-resistant Traction-Tred® steps
- EDGE360® bracing protects the ladder feet from every angle
- Dropped rear rail pivot point gets ladder closer to your work
- Color and branding differentiates LEANSAFE® from standard stepladders
- Rail latch with single action opening and closing locks the rear rail to the front rail to keep the ladder in leaning mode
- Curved footpad on front feet maximize surface contact with the ground in both leaning mode and stepladder mode



Step Ladders

Step Ladder, Type 1A 300lb. Duty Rating, Fiberglass Orange			
6202	2’	6207	7’
6204	4’	6208	8’
6205	5’	6210	10’
6206	6’	6212	12’

- Slip-resistant Traction-Tred® steps
- Bottom step features front and rear knee braces
- The feet feature a combination rail end shield and slip-resistant foot pads

Stepladder, Type 1AA 375lb. Heavy Duty Rating, Fiberglass Yellow			
6304	4’	6308	8’
6305	5’	6310	10’
6306	6’	6312	12’

- Fully braced steps provide maximum durability
- EDGE bracing helps to protect the rails from damage
- Wider base than code requires provides maximum tip resistance
- LOCKTOP® with Lock-In System secures tools to increase productivity
- 3 anchor points allow tools to be tethered to the top, preventing injuries and damages below from falling tools
- The load capacity is molded into the top to create a permanent marking if labels are damaged.

Dual-Access Double Step Ladders

Dual-Access Double Step Ladder Orange Fiberglass Type 1AA 375lb. Duty Rating,			
T7404	4’	T7408	8’
T7406	6’	T7410	10’
T7414	14’	1A 300lb. Duty Rating	

- Design for one or two-person jobs
- Slip-resistant Traction-Tred®
- EDGE® bracing system helps to decrease damage to rail
- Maximum load per side, including person and materials, shall not exceed duty rating of ladder



Straight Trench Ladders

Straight Trench Ladder, Type 1AA 375lb. Duty, Yellow Fiberglass			
7108-1	8’	7112-1	12’
7110-1	10’	7114-1	14’

- 1.75-inch slip-resistant Traction-Tred® rungs
- Shoe with slip-resistant pad and spur plate
- Mar-resistant molded end caps
- Pre-pierced holes for easy field installation of accessories
- Exclusive Alflo® rung joint means Twist-Proof® performance
- Dual action feet with slip-resistant pad and spur plate for use on hard or penetrable surfaces

Swivel Feet - Trench Ladders

Trench Ladder - Swivel Feet Single Side Type 1A 300lb. Duty, Orange Fiberglass			
D6208-1	8’	D6212-1	12,
D6210-1	10’		

- Exclusive Alflo® rung joint means Twist-Proof® performance
- 1.63in slip-resistant Traction-Tred® D-rungs
- Pre-pierced holes for easy field installation of accessories
- Combination rail shield bracket and shoe with SHU-LOK® and slip-resistant pad
- Mar-resistant molded end caps

Dual-Access Platform Ladders

Dual-Access Platform Working Ladder, Type 1A 300lb. Duty, Fiberglass Orange	
PT7404-4C	6’ LADDER 4’ PLATFORM
PT7406-4C	8’ LADDER 6’ PLATFORM

- Large platform for secure & comfortable work area
- Pinch-Proof™ platform for easy opening & folding
- 4 casters allow easy 360 degree mobility
- Slip-resistant Traction-Tred® steps
- Safety guardrail
- Spring mounted caster eliminates need for a separate brake
- Soft rubber wheels are easy on vinyl floors and designed to roll over thresholds
- Durable caster with stainless steel spring, steel stem and ball bearing swivel; heavy duty step brace

Dual-Access Double Step Ladders

Portable Work Stand Type 1A 300lb. Duty,	
TW372-30	Aluminum 2’, 28” Wide Step
TW373-30	Aluminum 3’, 28” Wide Step
TW6202	Fiberglass 2’’, 30” Wide Step

- Double top steps provide wide platform
- Lightweight and portable
- Design for one or two-person jobs
- Slip-resistant Traction-Tred® steps
- Extra wide for versatile use as work stand, stage or material support
- Mar-resistant feet for slip-resistance on concrete, wood and vinyl floors

Manhole Ladders

Manhole Ladder, Single Side Type 1AA 375lb. Duty, Yellow Fiberglass			
M7108-1	8’	M7114-1	14’
M7110-1	10’	M7116-1	16’
M7112-1	12’		

- Narrow 12.38 inch width design is ideal for special purposes like work in manholes
- Exclusive Alflo® rung joint means Twist-Proof® performance
- Mar-resistant, vinyl coated aluminum hoop end caps for removing ladder from manhole
- 3-foot plastic sleeves on rails to avoid manhole rim damage
- Slip-resistant Traction-Tred® round rungs
- Rounded aluminum hoop shoe with ribbed rubber pad provides solid footing

Step Ladder Accessories	
AC50-JB-3	Job Bucket For Werner Old Blue
AC52-UB	Utility Bucket Ladder Lock-In 1 Gallon
AC54-JC	Job Caddy Ladder Lock-In Tool Tray

AC50-JB-3

AC52-UB

AC54-JC

Ladder Replacement Label Kits

FOR A COMPLETE SET OF LABELS YOU MUST ORDER 1 MODEL NUMBER FROM EACH CATEGORY

Category 1	Duty Rating Label ONLY
LDR200	200# Rated Duty Rating Sticker for all Ladders except Twin Stepladders
LDR225	225# Rated Duty Rating Sticker for all Ladders except Twin Stepladders
LDR250	250# Rated Duty Rating Sticker for all Ladders except Twin Stepladders
LDR300	300# Rated Duty Rating Sticker for all Ladders except Twin Stepladders
LDR300-100	300# Duty Rating Label 100 pcs
LDR375	375# Rated Duty Rating Sticker for all Ladders except Twin Stepladders
LDR375-100	375# Duty Rating Label 100 pcs
LDRT250	250# Rated Duty Rating Sticker for all Twin Stepladders
LDRT300	300# Rated Duty Rating Sticker for all Twin Stepladders
LDRT375	375# Rated Duty Rating Sticker for all Twin Stepladders

CAUTION
PRECAUCIÓN
THIS LADDER SECTION IS NOT DESIGNED FOR SEPARATE USE
ESTA SECCIÓN DE ESCALERA NO ESTÁ DISEÑADA PARA USO SEPARADO
PRECAUCIÓN
CAUTION
CAUTION
PRECAUCIÓN
DANGER
FAILURE TO READ AND FOLLOW INSTRUCTIONS INCLUDING THOSE UNDER THE PLATFORM OR STEP ON THIS PRODUCT, MAY RESULT IN INJURIES OR DEATH.
NE PAS LIRE OU SUIVRE LES INSTRUCTIONS, DONT CELLES SE TROUVANT SOUS LA PLATEFORME OU LE MARCHEPIED DE CE PRODUIT, PEUT ENTRAÎNER DES BLESSURES OU LA MORT.
P/N106020-03 Rev C 8/14

Category 2	Includes Safety, Hazard, and Instruction Labels
LFS100	For all Fiberglass Steps, Platforms,Twins, Twin Platforms, Tripod Stepladder, and Podiums
LPFS100-100*	FRP Step Ladder Label Replacement Kit 100 pcs
LAS100	For all Aluminum Steps, Platforms, Twins, Twin Platforms, and Podiums
LFE100	For all Fiberglass Extensions
LPFE100-100*	FRP Extension Ladder Label Replacement Kit 100 pcs
LAE100	For all Aluminum Extensions
LMT100	For all MT Ladders
LFC100	For Fiberglass Combination Ladders
LFL100	For Leaning Ladders
LFM100	Safety Labels-M7100-1 Manhole Ladder
LPL100	For Straight and Tapered Posting Ladders
LET100	For Extension Trestle Ladders
LFPS100	Safety Labels-S7700 Parallel Sectional Ladder

*When ordering kits of 100 pcs, you will receive a roll of 100 for each label in that kit

Seattle, WA
4747 1st Avenue South
Phone: 206-464-1480

Kent, WA
20476 84th Ave South
Phone: 206-957-8280

Tacoma, WA
305 S Tacoma Way
Phone: 253-830-5724

Quincy, WA
831 F Street SE
Phone: 509-797-8301

Milpitas, CA
1001 Yosemite Drive
Phone: 408-383-9266

Sacramento, CA
26 Light Sky Court
Phone: 916-388-7800

Santa Fe Springs, CA
12139 Los Nietos Road
Phone: 562-946-1808

Chandler, AZ
1600 S Hamilton St. Suite 9
Phone: 480-398-4770

Glendale, AZ
10150 W Montebello Ave #100
Phone: 623-889-7460

Sparks, NV
605 Glendale Avenue
Phone: 775-331-3451

Portland, OR
330 SE Salmon St
Phone: 503-239-5230

Hillsboro, OR
4837 NW 235th Ave
Phone: 503-648-8420

Hermiston. OR
1759 NW Geer Rd.
Phone: 458-300-5101

Prineville. OR
938 SW Page Ct
Phone: 458-300-5101

Beaverton, OR
5150 SW Western Ave
Phone: 503-213-5601

Boise, ID
594 N Dupont Ave.
Phone: 208-955-1717

www.acmetool.com